



MANUFACTURING PLANT CONTRACTOR SERVICE CENTER PUBLIC SHOWROOM

129 Oser Ave Hauppauge, NY 11788 631.434.2020 1 888.2836 AmericanChimneySupplies.com



#### Premium Single Flue Cap 8"X8" (BOSSC8x8)

Our Premium Single Raincaps are as attractive as they are durable, and are available in 6 stock sizes. Also available in 100% Copper, not Copper-Plated Stainless Steel.

- BOSSC8X8 Bolt On S/S Cap 8"X8"
- BOSSC13X13 Bolt On S/S Cap 13"X13"
- BOSSC13X17 Bolt On S/S Cap 13"X17"
- BOSSC17X17 Bolt On S/S Cap 17"X17"
- BOSSC9X13 Bolt On S/S Cap 9"X13"
- BOSSC9X17 Bolt On S/S Cap 9"X17"



#### Premium Double Flue Cap 9"X24" (BOSSC9x24)

Our Premium Double Raincaps are as attractive as they are durable, and are available in 3 stock sizes. Also available in 100% Copper, not Copper-Plated Stainless Steel.


- BOSSC9X24 Bolt On S/S Cap 9"X24"
- BOSSC9X28 Bolt On S/S Cap 13"X13"
- BOSSC13X28 Bolt On S/S Cap 13"X17"



#### Premium Stock Cap 10"X10" (KD/10x10)

Our Premium Double Raincaps are as attractive as they are durable, and are available in 3 stock sizes. Made of 304 stainless steel with a standard heigh of 10". Custom heights and sizes available from 10" to 60" in height and width. Also available in 100% Copper or Brass. All sizes are screen to screen.






#### Premium Copper Stock Cap 10"X10" (KD/10x10C)

Our Premium Double Raincaps are as attractive as they are durable, and are available in 3 stock sizes. Made of 304 stainless steel with a standard heigh of 10". Custom heights and sizes available from 10" to 60" in height and width. Also available in 100% Copper or Brass. All sizes are screen to screen.





#### Black Powder Coated Cap 8"X8" (BBO9x9)

Powder coated with the same process used in the boating industry. The matte black finish is very attractive and comes with a 5 Year Warranty. These galvanized caps are your Ace-in-the-Hole if you are cost-conscious.

- BBO13x13 Bold On Black Galvanized 13" x 13"
- BBO9x17 Bold On Black Galvanized 9" x 17"
- BBOX Bold On Black Galvanized 9" x 13"



#### HYC Chimney Covers 9"X9" (HYC9x9SS)

These 24 guage single piece covers are 100% stainless steel hood with roll formed edges. It also has 16 guage stainless steel base for extra strength and 18 guage 3/4" expanded stainless steel mesh. Available in the following sizes:


- HYC9x9SS HY-C S/S Cover 9" x 9"
- HYC13x13SS HY-C S/S Cover 13" x 13"
- HYC9x13SS HY-C S/S Cover 9" x 13"



#### Premium Round Slip In Cap 4" (PRSI4)

This high quality cap is designed to "Slip-in' rigid stove pipe of flexible relining systems and is made with 24 guage type 304 stainelss steel. This versatile cap can also be used on round masonry chimneys. Available in 9 stock sizes from 4" to 12". Also available in any custom size you need and in 100% Copper, not Copper-Plated Stainless Steel. A 5/8" spark arrestor available on all models.


- PRSI10 Premium Round S/I Cap S/S 10"
- PRSI11 Premium Round S/I Cap S/S 11"
- PRSI12 Premium Round S/I Cap S/S 12"
- PRSI5 Premium Round S/I Cap S/S 5"
- PRSI6 Premium Round S/I Cap S/S 6"
- PRSI7 Premium Round S/I Cap S/S 7"
- PRSI8 Premium Round S/I Cap S/S 8"
- PRSI9 Premium Round S/I Cap S/S 9"
- PRSIC4 Premium Round S/I Cap S/S 4"



## Premium Masonry Round 5" (PRBO5)

Designed for masony Round Flues that extend above the crown. Made with 24 gauge Type 304 stainless steel for a lifetime of use. Available in nine stock sizes from 4" to 12". Also available in any custom size that can shipped same day. Just slide it over the flu until it rests on the inside 'stop' flanges and secure set screws. It's that easy! Also available in 100% Copper, not Copper-Plated Stainless Steel.

- PRBO10 Premium Round Bolt On 10"
- PRBO12 Premium Round Bolt On 12"
- PRBO6 Premium Round Bolt On 6"
- PRB07 Premium Round Bolt On 7"
- PRBO8 Premium Round Bolt On 8"
  PRBO9 Premium Round Bolt On 9"



#### Premium Pre-Fab Caps S/S 14"x19" (PPC14x19)

This durable cap is a replacement for the standard caps that are typically found on round metal chimneys with either wood, metal, pre-fab square or rectangle housing. Unlike the caps that come with these housings, our PREMIUM PRE-FAB CAP® are made of 24 gauge 304 stainless steel and will never rust or rot out. The lid is removable to make future cleanings a snap. Available in five stock sizes with a 7" opening. Additional styles in any custom size available upon request. A 5/8" spark arrestor available on all models. Also available in 100% Copper, not Copper-Plated Stainless Steel.



- PPC16x16 Premium Prefab Cap S/S 16" x 16"
- PPC16x24 Premium Prefab Cap S/S 16" x 24"
- PPC18x18 Premium Prefab Cap S/S 18" x 18"
- PPC18x24 Premium Prefab Cap S/S 18" x 24"

#### Premium Stamped Stackable 9"x9" 4 Pack (PSF9x9)

Our Premium Stamped Stackable Raincaps are as attractive as they are durable, and are available in 6 stock sizes. Also available in 100% Copper, not Copper-Plated Stainless Steel.

- PSFS13x13 Stamped Stackable 4Pk 9" x 9"
- PSFS13x13 Stamped Stackable 4Pk 13" x 13"
- PSFS13x17 Stamped Stackable 4Pk S/S 13" x 17"
- PSFS17x17 Stamped Stackable 4Pk S/S 17" x 17"
- PSFS9x13 Stamped Stackable 4Pk S/S 9" x 13"
- PSFS9x17 Stamped Stackable 4Pk S/S 9" x 17"



## Premium Mesh Stackable 9"x9" 4 Pack (PSFM9x9)

Our Premium Mesh Stackable Raincaps are as attractive as they are durable, and are available in 6 stock sizes. Also available in 100% Copper, not Copper-Plated Stainless Steel.

- PSFS13x13 Mesh Screen Stackable 4Pk S/S 9" x 9"
- PSFS13x13 Mesh Screen Stackable 4Pk S/S 13" x 13"
- PSFS13x17 Mesh Screen Stackable 4Pk S/S 13" x 17"
- PSFS17x17 Mesh Screen Stackable 4Pk S/S 17" x 17"
- PSFS9x13 Mesh Screen Stackable 4Pk S/S 9" x 13"
- PSFS9x17 Mesh Screen Stackable 4Pk S/S 9" x 17"



## Premium ACS Mesh Stackable 9"x9" (PSFA9x9)

Our Premium Mesh Stackable Raincaps are as attractive as they are durable, and are available in 6 stock sizes.


- PSFS13x13 ACS Mesh Screen Stackable 9" x 9"
- PSFS13x13 ACS Mesh Screen Stackable 13" x 13"
- PSFS13x17 ACS Mesh Screen Stackable 13" x 17"
- PSFS17x17 ACS Mesh Screen Stackable 17" x 17"
- PSFS9x13 ACS Mesh Screen Stackable 9" x 13"
- PSFS9x17 ACS Mesh Screen Stackable 9" x 17"



## ACS Animal Cuard (Cement Down) 8"x8" (KDAG8x8)

Our animal guards were built to prevent pestly animals from nesting in your chimney such as squirrels, opossums, racoons, etc. The ACS Animal Guards are constructed with 20 gauge base and 20 gauge screen type 304 stainless steel for a lifetime of use. Our standard ACS Animal Guards are 4" high for the bolt on and 4" high for the cement on and are available in either 3/4" mesh or 9/16" square holes. Since we manufacture everything in house, we like to use the term "if you can visualize it, we can materialize it". Simply put, if your job requires any custom size or style, we can accomplish it. Same day turnaround time.


- BOAG13x13 Bolt On AG 13" x 13" x 4"
- BOAG8x13 Bolt On AG 8" x 13" x 4"
- BOAG13x17 Bolt On AG 13" x 17" x 4"
- BOAG8x17 Bolt On AG 8" x 17" x 4"
- BOAG8x8 Bolt On AG 8" x 8" x 4"
- KDAG Cement Down AG 13" x 13" x 4"
- KDAG Cement DownAG 13" x 17" x 4"
- KDAG Cement Down AG 8" x 13" x 4"
- KDAG Cement Down AG 8" x 17" x 4"



#### Bolt On Adapter Plates 8"x8" (BOA8x8)

Our bolt on adapter plates are used for adapting any round cap onto a masonry square or rectangle chimney flue. Also available with cement down flanges.

- BOA8x8 Bolt On Adapter 8" x 8"
- BOA13x13 Bolt On Adapter 13" x 13"
- BOA8x12 Bolt On Adapter 8" x 12"



#### Turbine Cap Stainless Steel (TSS5)

Used for wind related downdraft problems. Provides positive ventilation with the slightest breeze. This product will not create a draft, it will only prevent a downdraft.

- TSS5 S/S Turbine 5"
- TSS5 S/S Turbine 12"
- TSS5 S/S Turbine 6"
- TSS5 S/S Turbine 7"
- TSS5 S/S Turbine 8"



#### Turbine Cap Galvanized Steel (TG5)

Used for wind related downdraft problems. Provides positive ventilation with the slightest breeze. This product will not create a draft, it will only prevent a downdraft.

- TSS5 Galvanized Turbine 5"
- TSS5 Galvanized Turbine 12"
- TSS5 Galvanized Turbine 6"
- TSS5 Galvanized Turbine 7"
- TSS5 Galvanized Turbine 8"



#### Vacu-Stack Solid Packed 6" (VSS6)

This cap is used to cure most wind-related back puffing problems. When wind hits the Vacu-Stack it actually increases draft in proportion to the wind speed. The Vacu-Stack won't cure an otherwise poorly drawing flue. Do not use it to cure anything but wind related back puffing problems. The Vacu Stack is made of 26 gauge 304 stainless steel and comes with a lifetime warranty.

- VSS6 Vacu Stack Solid Pack 6"
- VSS10 Vacu Stack Solid Pack 10"
- VSS12 Vacu Stack Solid Pack 12"
- VSS7 Vacu Stack Solid Pack 7"
- VSS8 Vacu Stack Solid Pack 8"
- VSSO8x12 Vacu Stack Oval 8" x 12" Solid Pack



#### Vacu-Stack Air Cooled 6" (VSSTDW6)

This model offers the same solution and protection as the standard Vacu-Stack except that it includes a specially designed base which allows it to fit on the class "H" air cooled, double or triple wall pipe.


- VSSTDW6 Vacu Stack Air Cooled 6"
- VSSTDW8 Vacu Stack Air Cooled 8"



## TDW Weathershield 6" (WSATDW6)

This style cap is designed to protect class "A" air insulated, double and triple wall pipe. Slightly larger diameter upper & lower pass accommodate proper air flow these pipes require.


- WSATDW6 Weather Shield Air Cooled 6"
- WSATDW10 Weather Shield Air Cooled 10"
- WSATDW7 Weather Shield Air Cooled 7"
- WSATDW8 Weather Shield Air Cooled 8"



#### Weathershield Solid Pack 5" (WSA5)

A universal replacement for standard spark arrestors and raincaps that come with Class "A" Chimney Systems with solid pack insulation. The Weathershield is available in 5" - 10" diameters for solid pack insulated chimneys and 3" - 4" diameters for pellet applications. All styles come with a lifetime warranty.

- WSA5 Weather Shield Air Cooled 5"
- WSA10 Weather Shield Air Cooled 10"
- WSA6 Weather Shield Air Cooled 6"
- WSA7 Weather Shield Air Cooled 7"
- WSA8 Weather Shield Air Cooled 8"



#### ACS Class 'A' 5" (ACS5)

Our Class "A" cap is a great alternative for a Class "A" Chimney System with solid pack insulation. The ACS Class "A" is made of 24 gauge 304 stainless steel. It is designed for lifetime use with a removable lid for future cleanings. Stock diameters 5" - 12". Custom diameters made to order for same day shipping. Also available in air cooled style for double and triple walled Class "A". Also available in 100% Copper, not Copper-Plated Stainless Steel.

- ACS11 Class A Round
- ACS11AIR Class A Round Air Cooled
- ACS12 Class A Round
- · ACS13 Class A Round
- ACS14 Class A Round
- ACS15 Class A Round
- ACS16 Class A Round
- ACS5 Class A Round
- ACS5AIR Class A Round Air Cooled
- ACS6 Class A Round
- ACS6AIR Class A Round Air Cooled
- ACS7 Class A Round
- ACS7AIR Class A Round Air Cooled
- · ACS8 Class A Round
- · ACS8AIR Class A Round Air Cooled
- ACS9 Class A Round Air Cooled





#### Sealtight Top Sealing Damper 8"X8" (LTSD8x8)

This is the #1 selling damper for over 18 Years! The Sealtight original top sealing damper reduces heat and air conditioning loss through the chimney by as much as 90%, and eliminates down drafts when the fireplace is not in use. Sealtight dampers seal out snow, rain and animals and mount easily on the top of flue tile with silicone sealant (included). A 32' stainless steel cable extends down the flue to a bracket fastened on the side of the firebox. A simple tug on the cable and the damper opens easily.

A 50' extension cable is available. Sealtight dampers are made of cast aluminum and come in six sizes. Easy instructions and all hardware pieces are included.

- LEC SEALTIGHT 50" Extension Cable
- LHK SEALTIGHT Hardware Kit
- LTSD12x16 SEALTIGHT Damper 12" x 16"
- LTSD13x13 Damper 13" x 13"
- LTSD13x17 SEALTIGHT Damper 13" x 17"
- LTSD17x17 SEALTIGHT Damper 17" x 17"
- LTSD8x12 SEALTIGHT Damper 8" x 12"
- LTSD8x17 SEALTIGHT Damper 8" x 17"

#### Energy Top Sealing Damper 8"X8" (LTD8x8)

The Energy Top damper eliminates heat by air conditioning loss, keeps out birds and animals and drastically reduces outside noises. The "chimney fire safety device" locks the damper in the open position in the event of a chimney fire, preventing the accidental closing of the damper and the release of smoke and carbon monoxide into the home. The Energy Top Damper installs on the body of the flue by using silicon sealant (included). A 30' long stainless steel cable is provided to drop down the flue and mount to the firebox with the provided hardware and bracket. The damper can be easily opened and closed from inside the house. A 50' cable is available for installing a Energy Top on tall chimneys



- LTEC ENERGY 50" Extension Cable
- · LTHK ENERGY Hardware Kit
- LTD13x13 Damper 13" x 13"
- LTD13x17 ENERGY Damper 13" x 17"
- LTD17x17 ENERGY Damper 17" x 17"
- LTD8x12 ENERGY Damper 8" x 12"
- LTD8x17 ENERGY Damper 8" x 17"


#### Spider Damper 8"X8" (SPIDERDAMPER5)

The ultimate replacement for warped, worn out, or defective factory built fireplaces. For use in most prefab, class A, round terra cotta and stainless steel chimneys Easy to Open and Close from inside the firebox Made of heavy stainless steel construction

- Replaces missing, rusted or missing dampers
- Installs approx 6" below top allowing existing cap to be reused
- · Prevents Heat and Air Conditioning loss
- . Does not induce additional resistance or turbulence and not affected by wind
- Class "A" solid pack
- Prefab fireplace
- · Single Wall round

Installation is simple and damper is recessed approximately 6 inches below and inside the top of flue - ideal for restoration projects where an exposed damper is unwanted. The existing or new rain cover can be installed without fear of a freezing or sticking damper

- SPIDERDAMPER5 Spider Damper 5" Round
- SPIDERDAMPER10 Spider Damper 10" Round
- SPIDERDAMPER11 Spider Damper 11" Round
- SPIDERDAMPER12 Spider Damper 12" Round
- SPIDERDAMPER13 Spider Damper 13" Round
- SPIDERDAMPER14 Spider Damper 14" Round
- SPIDERDAMPER6 Spider Damper 6" Round
- SPIDERDAMPER7 Spider Damper 7" Round
- SPIDERDAMPER8 Spider Damper 8" Round
- SPIDERDAMPER9 Spider Damper 9" Round



## Premium Damper Cap Combo w/Lymance 8"x8" (PDCC8x8)


This unique combination features the best of both worlds. We have taken a lymance and incorporated it inside our premium cap. This combination is then easily bolted to the flue pipe just like our standard cap.

The advantages to this combination are:

- For future cleanings the damper-cap combo is easily unbolted from the flue allowing the chimney to be cleaned properly with a full size chimney brush
- No thick layers of silicone to cut through to remove the damper
- When closed, the damper prevents heat & air conditioning loss, down drafts and noise
- · When open, The Premium Cap protects against rain, snow, birds, animals and sparks

#### The Best of Both Worlds!

- PDCC8x8 Premium Damper Cap Combo 8" x 8"
- PDCC12x16 Premium Damper Cap Combo 12" x 16"
- PDCC13x17 Premium Damper Cap Combo 13" x 17"
- PDCC17x17 Premium Damper Cap Combo 17" x 17"
- PDCC8x12 Premium Damper Cap Combo 8" x 12"
- ◆ PDCC8x17 Premium Damper Cap Combo 8" x 17"



With Lymance

#### Premium Damper Cap Combo w/Lock-Top 8"x8" (PDCCLT8x8)

This unique combination features the best of both worlds. We have taken a lymance and incorporated it inside our premium cap. This combination is then easily bolted to the flue pipe just like our standard cap.

The advantages to this combination are:

- For future cleanings the damper-cap combo is easily unbolted from the flue allowing the chimney to be cleaned properly with a full size chimney brush
- · No thick layers of silicone to cut through to remove the damper
- · When closed, the damper prevents heat & air conditioning loss, down drafts and noise
- · When open, The Premium Cap protects against rain, snow, birds, animals and sparks

#### The Best of Both Worlds!

- ◆ PDCCLT8x8 Premium Damper Cap Combo 8" x 8"
- PDCCLT13x13 Premium Damper Cap Combo 13" x 13"
- PDCCLT13x17 Premium Damper Cap Combo 13" x 17"
- PDCCLT17x17 Premium Damper Cap Combo 17" x 17"
- PDCCLT8x13 Premium Damper Cap Combo 8" x 13"
- PDCCLT8x17 Premium Damper Cap Combo 8" x 17"



With Lock-Top



#### Master Flex Smooth Wall 3" (MFSW3)


The only Smoothwall liner listed to UL by UL. A highly flexible .006 2 ply s/s liner with a smooth wall inside This unique design offers such great benefits as:

- · 316L s/s an industry standard for oil & gas applications
- Great flexibility = Easier installation
- Smooth wall = unrestricted flow of gasses/fewer nooks and crannies for soot to collect
- 2 ply construction = Heaviest lihtweight in its class
- · Limited lifetime warranty

Other benefits realized upon installation (You've got to install it to believe it!)

- MFSW3 Smooth Wall Flex 3"
- MFSW10 Smooth Wall Flex 10"
- MFSW11 Smooth Wall Flex 11"
- MFSW12 Smooth Wall Flex 12"
- MFSW4 Smooth Wall Flex 4"
- MFSW5 Smooth Wall Flex 5"
- MFSW51/2 Smooth Wall Flex 5 1/2"
- MFSW6 Smooth Wall Flex 6"
- MFSW7 Smooth Wall Flex 7"
- MFSW8 Smooth Wall Flex 8"
- MFSW9 Smooth Wall Flex 9"





## Master Heavy Weight Flex 5" (MFHL5)

This unique design offers such great benefits as:

- .018 thickness s/s
- Type 304
- For use in wood, coal and oil applications
- · Interlocked design for maximum strength and flexibility
- · Listed to UL by UL
- 20', 30' and 40' coils
- · Can be shipped same day
- · 316L Available by request

Other benefits realized upon installation (You've got to install it to believe it!)

- MFHL5 Heavy Wall Flex 5"
- MFHL10 Heavy Wall Flex 10"
- MFHL4 Heavy Wall Flex 4"
- MFHL6 Heavy Wall Flex 6"
- MFHL7 Heavy Wall Flex 7"
- MFHL8 Heavy Wall Flex 8"
- MFHL9 Heavy Wall Flex 9"



#### Master Flex 316L.006 3" (MFL3)

Our newest addition to our line of flexible liners is made of type 316L .006 with a patented "T" locking system. This design lends itself to unparalleled flexibility without compromising it's locking strength. This means it won't pull apart at the seam under the most rigorous installations. We also have the convenience of offering this liner in a single ply or double ply construction. Just let us know which you prefer when placing your order. For those easy drop ins you may want to go with single ply in order to be more profitable. Or perhaps you have a tough install ahead, that you may winch up, where 2 ply would be more applicable.



CUSTOM OVALIZATION - Our liners can be ovalized at an additional cost of \$2.50/ft to accommodate your specific job requirements. Please call with dimensions.

- MFL3 ACS Flex-able S/S Liner 3"
- MFL10 ACS Flex-able S/S Liner 10"
- MFL12 ACS Flex-able S/S Liner 12"
- MFL4 ACS Flex-able S/S Liner 4"
- MFL5 ACS Flex-able S/S Liner 5"
- MFL6 ACS Flex-able S/S Liner 6"
- MFL7 ACS Flex-able S/S Liner 7"
- MFL8 ACS Flex-able S/S Liner 8"
- . MFL9 ACS Flex-able S/S Liner 9"

#### Thermix Insulation (THERMIX)

This flexible aluminum foil-based ceramic fiber blanket wraps around and insulates the liner. It helps the liner warm up quickly to establish strong draft, reduce the heat transfer to the outside of the chimney and reduce condensation. A double layer of the 1/4" thick 8lb density blankets is required for applications where combustible materials are less than the code specified clearances from the chimney. The ProFoil listing allows combustible materials to be in direct contact with the masonry chimney when installed in this fashion. Tape seams with AluFoil tape, then slide ProMesh wire mesh over insulated liner; stretch mesh and clamp at top and bottom with clamps.



#### 316 2 Part T 3" (SS2PT3)

Used to connect the liner to the heating appliance with a removable snout. Custom sizes are available upon request. Same day turn-around time.


- SS2PT3 S/S Part Tee 3"
- SS2PT10 S/S Part Tee 10"
- SS2PT12 S/S Part Tee 12"
- SS2PT3 S/S Part Tee 3\*
- SS2PT4 S/S Part Tee 4"
- SS2PT5 S/S Part Tee 5"
- SS2PT51/2 S/S Part Tee 5 1/2"
- SS2PT6 S/S Part Tee 6"
- SS2PT7 S/S Part Tee 7"
- SS2PT8 S/S Part Tee 8"
- SS2PT9 S/S Part Tee 9"



#### 316 2 Part Tee Cap 3" (SSTC3)

Used to seal-off a Tee. Custom sizes are available upon request. Same day turn-around time.


- SSTC3 S/S Tee Cap 3"
- SSTC10 S/S Tee Cap 10"
- SSTC12 S/S Tee Cap 12"
- SSTC4 S/S Tee Cap 4"
- SSTC5 S/S Tee Cap 5"
- SSTC51/2 S/S Tee Cap 5 1/2"
- SSTC6 S/S Tee Cap 6"
- SSTC7 S/S Tee Cap 7"
- SSTC8 S/S Tee Cap 8
- SSTC9 S/S Tee Cap 9"



## 316L Top Plate 3" (SSTP3)

Used to connect and seal your liner at the top and support a fireplace reliner from the bottom. All our plates have a standard 2" collar. 3"-12" diameters. Our top plates are also available with:

- SSTP3 S/S Top Plate 3"
- SSTP10 S/S Top Plate 10"
- SSTP12 S/S Top Plate 12"
- SSTP4 S/S Top Plate 4"
- SSTP5 S/S Top Plate 5"
- SSTP51/2 S/S Top Plate 5 1/2"
- SSTP6 S/S Top Plate 6"
- SSTP7 S/S Top Plate 7"
- SSTP8 S/S Top Plate 8"
- SSTP9 S/S Top Plate 9"



## 316L Top Plate With Clamp 8"x8" (SSTPC8X8)

Used to connect and seal your liner at the top and support a fireplace reliner from the bottom. All our plates have a standard 2" collar.

- SSTPC8X8 316L Top Plate w/Clamp 8" X 8"
- SSTPC13X13 316L Top Plate w/Clamp 13" X 13"
- SSTPC13X17 316L Top Plate w/Clamp 13" X 17"
- SSTPC8X13 316L Top Plate w/Clamp 8" X 13"



#### 316L Ovalized Top Plate 6" (SSTPO6)

This plate is availble in the following sizes:

- SSTPO6 S/S Ovalized Top Plate 6"
- SSTPO7 S/S Ovalized Top Plate 7"
- SSTPO8 S/S Ovalized Top Plate 8"



## 90° Adjustable Elbow 24 GA 3" (SSE3)

Fully adjusts from 0° to 90° for easier installation.

- SSE3 S/S Elbow 3"
- SSE10 S/S Elbow 10"
- SSE 12 S/S Elbow 12"
- SSE4 S/S Elbow 4"
- SSE5 S/S Elbow 5"
- SSE6 S/S Elbow 6"
- SSE7 S/S Elbow 7"
- SSE8 S/S Elbow 8"
- SSE9 S/S Elbow 9"



## 316L Reducer / Increaser 4"x3" (SSR43)

Reducers and increasers allow you to connect pipe of different diameters. Our reducers come stock with no crimp on either end, but are available with crimp upon request if needed.

- SSR43 S/S Reducer 5" X 3"
- SSR43 S/S Reducer 5" X 4"
- SSR43 S/S Reducer 6" X 3"
- SSR43 S/S Reducer 6" X 4"
- SSR43 S/S Reducer 6" X 5"
- SSR43 S/S Reducer 7" X 5"
  SSR43 S/S Reducer 7" X 6"
- SSR43 S/S Reducer 8" X 7"



# 316L Liner Coupling 3" (SSC3)

This male fitting is designed to attach two pieces of flexible liner.

- SSC3 S/S Connector 3"
- SSC10 S/S Connector 10"
- SSC12 S/S Connector 12"
- SSC4 S/S Connector 4"
- SSC5 S/S Connector 5"
- SSC51/2 S/S Connector 5 1/2"
- SSC6 S/S Connector 6"
- SSC7 S/S Connector 7"
- SSC8 S/S Connector 8"
- SSC9 S/S Connector 9"



#### Nose Cone 3" (NC3)

Nose cones are designed with an inside fit to guide s/s liners through bends and tough installations when you're pulling the liner down or using a winch to pull it up.

- NC3 S/S Nose Cone 3"
- NC10 S/S Nose Cone 10"
- NC12 S/S Nose Cone 12"
- NC4 S/S Nose Cone 4"
- NC5 S/S Nose Cone 5"
- NC51/2 S/S Nose Cone 5 1/2"
- NC6 S/S Nose Cone 6"
- NC7 S/S Nose Cone 7"
- NC8 S/S Nose Cone 8"
- NC9 S/S Nose Cone 9"



#### Top Support Clamp 5" (TCSS5)

These clamps are used to support a reline system when installed above the Top Plate. Two halves, bolted closed around the liners.

- TCCSS5 S/S Top Clamp 5"
- TCCSS10 S/S Top Clamp 10"
- TCCSS6 S/S Top Clamp 6"
- TCCSS7 S/S Top Clamp 7"
- TCCSS8 S/S Top Clamp 8"
- TCCSS9 S/S Top Clamp 9"



#### 316L Short Body Tee w/Tee Cap 5" (SS2PT5)

These shorty Tees are a great time saver for those installations where there is limited or no space below the entry of the appliance. Tee Caps included with every Tee.

- SS2PT5 S/S 2 Part Tee 5"
- SS2PT10 S/S 2 Part Tee 10"
- SS2PT12 S/S 2 Part Tee 12"
- SS2PT3 S/S 2 Part Tee 3"
- SS2PT4 S/S 2 Part Tee 4"
- SS2PT51/2 S/S 2 Part Tee 5 1/2"
- SS2PT6 S/S 2 Part Tee 6"
- SS2PT7 S/S 2 Part Tee 7"
- SS2PT8 S/S 2 Part Tee 8"
- SS2PT9 S/S 2 Part Tee 9"





## 316 Double Base Tee 5" Body 5 + 4 Snout (SSDBT5)

Used to connect your liner to not only one appliance but two separate appliances when the pipes are one above each other. These helpful Tees are also available with snouts in any direction upon request. Tee Caps included with Double Base Tee.


- SSDBT5 316L Double Base Tee 5" Body 6+4 snout
- SSDBT5.5 316L Double Base Tee 5.5" Body 6+4 snout
- SSDBT6 316L Double Base Tee 6" Body 6+4 snout
- SSDBT7 316L Double Base Tee 7" Body 7+4 snout
- SSDBT8 316L Double Base Tee 8" Body 8+4 snout



#### 316 Ovalized Tee on Wide Side 5" (SSOT5)

These Tees are designed to fit our oval sized liner. Ideal for use whether you're installing our regular single ply or regular double ply or even our heavy wall liner.

- SSOT5 S/S Oval Tee 5"
- SSOT10 S/S Oval Tee 10"
- SSOT12 S/S Oval Tee 12"
- SSOT14 S/S Oval Tee 14"
- SSOT6 S/S Oval Tee 6"
- SSOT7 S/S Oval Tee 7"
- SSOT8 S/S Oval Tee 8"
- SSOT9 S/S Oval Tee 9"



#### 316L Oval Tee on Narrow Side 5" (SSOTN5)

These Tees are designed to fit our oval sized liner. Ideal for use whether you're installing our regular single ply or regular double ply or even our heavy wall liner.

- SSSOTN5 316IL Oval Tee On Narrow Side 5"
- SSSOTN55 316ILOval Tee On Narrow Side 5.5"
- SSOTN10 316L Oval Tee on Narrow Side 10"
- SSOTN12 316L Oval Tee on Narrow Side 12"
- SSOTN14 316L Oval Tee on Narrow Side 14"
- SSOTN6 316L Oval Tee on Narrow Side 6"
- SSOTN7 316L Oval Tee on Narrow Side 7"
- SSOTN8 316L Oval Tee on Narrow Side 8"
- SSOTN9 316L Oval Tee on Narrow Side 9"



#### Storm Collar 3" (SSSC3)

Storm collars minimize moisture between the liner and the oversized hole in your top plate. Installs above a top clamp.

- SSSC3 S/S Storm Collar 3"
- SSSC10 S/S Storm Collar 10"
- SSSC12 S/S Storm Collar 12"
- SSSC13 s/s Storm Collar13"
- SSSC14 S/S Storm Collar14"
- SSSC4 S/S Storm Collar 4"
- SSSC5 S/S Storm Collar 5"
- SSSC51/2 S/S Storm Collar 5 1/2"
- SSSC6 S/S Storm Collar 6"
- SSSC7 S/S Storm Collar 7"
- SSSC8 S/S Storm Collar 8"
- SSSC9 S/S Storm Collar 9"



#### Butt Seamed Welded Pipe 3" (BSWP3)

This new pipe is offered with laser quality welded seams. This pipe should not be confused with an overlap spot welded seam that could leak, or lock form folded seam both of which show an unattractive longitunal seam. Our new pipe is not only safer and air tight, it also has an unblemished appearance making for one beautiful pipe. We manufacture this pipe in our warehouse, it's all in stock and ships the same day.

Step up to quality without compromising your profit. Offered in 12" - 60" lengths.

- BSWP10 BUTT SEAMED WELDED PIPE 10"
- BSWP12 BUTT SEAMED WELDED PIPE 12"
- BSWP13 BUTT SEAMED WELDED PIPE 13"
- BSWP14 BUTT SEAMED WELDED PIPE 14"
- BSWP15 BUTT SEAMED WELDED PIPE 15"
- BSWP16 BUTT SEAMED WELDED PIPE 16"
- BSWP4 BUTT SEAMED WELDED PIPE 4"
- BSWP5 BUTT SEAMED WELDED PIPE 5"
- BSWP5.5 BUTT SEAMED WELDED PIPE 5.5"
- BSWP6 BUTT SEAMED WELDED PIPE 6"
- BSWP7 BUTT SEAMED WELDED PIPE 7"
- BSWP8 BUTT SEAMED WELDED PIPE 8"
- BSWP9 BUTT SEAMED WELDED PIPE 9"




#### Wall Vent 4" (WVCSS4)

Wall vents can be used for a variety of applications such as venting kitchen rangehoods, dryer vent, fresh air intakes, etc. These vents can be ordered with animal screens or without. Available in 100% Stainless Steel or 100% Copper Vent with Stainless Slip In. Get the look of copper without the cost.

- WVCSS10 WV COPPER TOP S/S PIPE FLAP OR SCREEN 10"
- WVCSS4 WV COPPER TOP S/S PIPE FLAP OR SCREEN 4"
  WVCSS5 WV COPPER TOP S/S PIPE FLAP OR SCREEN 5"
- WVCSS6 WV COPPER TOP S/S PIPE FLAP OR SCREEN 6"
- WVCSS7 WV COPPER TOP S/S PIPE FLAP OR SCREEN 7"
- WVCSS8 WV COPPER TOP S/S PIPE FLAP OR SCREEN 8"
- WVCSS9 WV COPPER TOP S/S PIPE FLAP OR SCREEN 9"
- WVSS10 WALL VENT S/S PIPE FLAP OR SCREEN 10"
- WVSS4 WALL VENT S/S PIPE FLAP OR SCREEN 4"
- WVSS5 WALL VENT S/S PIPE FLAP OR SCREEN 5"
- WVSS6 WALL VENT S/S PIPE FLAP OR SCREEN 6"
- WVSS7 WALL VENT S/S PIPE FLAP OR SCREEN 7"
- WVSS8 WALL VENT S/S PIPE FLAP OR SCREEN 8"
- WVSS9 WALL VENT S/S PIPE FLAP OR SCREEN 9"





#### 90° Galvanized Elbow 3" (GE3)

Sturdy 4 piece construction that is adjustable 0° - 90°. Made of 26 guage steel.

- GE3 Galvanized Elbow 3"
- GE4 Galvanized Elbow 4"
- GE5 Galvanized Elbow 5"
- GE6 Galvanized Elbow 6"
- GE7 Galvanized Elbow 7"
- GE8 Galvanized Elbow 8"
- GE9 Galvanized Elbow 9"



## 45° Galvanized Saddle 3" (GS3)

Used when venting a second appliance from an existing smoke pipe when a "Y" pipe is not available.

- GS3 45 Degree Galvanized Saddle 3"
- GS4 45 Degree Galvanized Saddle 4"
- GS5 45 Degree Galvanized Saddle 5"
- GS6 45 Degree Galvanized Saddle 6"
- GS7 45 Degree Galvanized Saddle 7"
- . GS8 45 Degree Galvanized Saddle 8"



## Galvanized Reducer / Increaser 4" X 3" (GR43)

Used to reduce or increase round pipe from a larger to smaller diameter.

- GR1012 Galvanized Reducer 4"x3"
- GR1012 Galvanized Reducer 10"x12"
- GR54 Galvanized Reducer 5"x4"
- GR64 Galvanized Reducer 6"x4"
- GR65 Galvanized Reducer 6"x5"
- GR76 Galvanized Reducer 7"x6"
- GR810 Galvanized Reducer 8"x10"
- GR86 Galvanized reducer 8"x6"
  GR87 Galvanized reducer 8"x7"
- GR98 Galvanized Reducer 9"x8"



## Galvanized Vent Cap 3" (GVC3)

Used to protect bathroom and kitchen vent pipes from snow, rain and other debris. Also available in stainless steel upon request.

- GVC3 Galvanized Vent Cap 3"
- GVC4 Galvanized Vent Cap 4"





# FIREPLACE PRODUCTS AND CHIMNEY HOUSING

#### Premium Swind Clean-Out Door 8" X 8" (FPCODS8X8)

These attractive access doors facilitate fireplace cleaning. Made of 18 gauge 304 stainless steel these doors are available in 2 models. The Premium Door opens out on stainless steel hinges, and where access is limited, our new model slides up and down on a built in track. Custom sizes available. Also available in 100% solid copper upon request.

- FPCODSL12X13 Clean Out Door Slide Open 13" X 13"
- FPCODSL8X8 Clean Out Door Slide Open 8" X 8"



#### Ash Dump Cover Swing Door 4 1/2" X 9" (FPADCS45X9)

These Premium Ash Dump Covers will last forever! Two models available. Stationary Drop In or Hinged Flip Open Cover. Custom sizes available upon request.

- FPADCS45X9 S/S Ash Dump Cover Swing Open 4 1/2"x9"
- FPADCS65X8 S/S Ash Dump Cover Swing Open 6 1/2"x8"
- FPADCS9X9 S/S Ash Dump Cover Swing Open 9"x9"
- FPADCSL45X9 S/S Ash Dump Cover Slide Open 4 1/2"x9"
- FPADCSL65X8 S/S Ash Dump Cover Slide Open 6 1/2"x8"
- FPADCSL9X9 S/S Ash Dump Cover Slide Open 9"x9"



## R-CO Housing Kit 18 3/4" X 23 1/2" X 48" (RCO18X23))


The R-CO Chimney housing is virtually impossible to distinguish from authentic brick. All panels are coated 22 gauge steel. It is packaged flat for easy shipping and snaps together easily on the job site.

- RCO18X23 Red Brick Housing 18 3/4 x 231/2
- RCO23X23 Red Brick Housing 231/2 x 231/2

## Red Brick Painted Housing (RBCH18x18)

18" X 18" X 60" Tall. Easy to cut for roof pitch using regular tin snips. Lightweight aluminum construction makes for economical shipping.

\*\* LOOKS GREAT WITH OUR PREMIUM PREFABS \*\*



## Sweeps Soot Shovel Large (SOOTSHVL)

- · SOOTSHVJR Sweeps Soot Shovel Junior
- · SOOTSHVMII Sweeps Soot Shovel Mini



#### 1/2 Gallon CrackMagik (CRKMAGIK)

NO WATER REPELLENT CAN STOP WATER FROM PENETRATING SMALL HOLES AND VISIBLE CRACKS! And because nearly every chimney has them, we developed CrackMagik, a unique, breathable, silicone elastomer. Think of it as a paintable caulk. Use it for sealing minor cracks (up to 1/8") and defects in mortar joints where the mortar and chimney are otherwise sound. This allows you to easily correct these defects without the time and expense of tuckpointing.



#### CrownCoat

Because of its unique "quick drying" water base technology and its easy brush on application, CROWNCOAT BRUSHABLE SEALANT has become a favorite among chimney professionals. Like CrownSeal, CrownCoat is premixed and can be used wherever a long lasting waterproof membrane is needed. Fill larger cracks and voids with patching cement or high quality caulk, then apply two coats of CrownCoat.

- CROWNCOAT5 5 Gallon Crown Coat
- CROWNCOAT2 2 Gallon Crown Coat



#### CrownSeal

CrownSeal is a premixed, trowel grade, elastomeric coating that forms a flexible waterproof membrane to protect chimney crowns and more. It dries in about 6 hours and cures in about 24 hours to a natural concrete/mortar appearance. Use on chimney corbels, the tops of masonry and parapet walls, or wherever a flexible waterproof membrane is needed.

- CROWNCOAT 5 Gallon Crown Seal
- CROWNCOAT2 2.5 Gallon Crown Seal



## ChimneySaver Water Proofing 5 Gallon (CSWP)

ChimneySaver, the first water repellant product developed specifically for chimneys has been used successfully by chimney professionals for almost 20 years.

ChimneySaver reduces water penetration into the masonry by 99.9%. It is also 100% vapor permeable, which means that unlike most waterproofing agents, it won't trap the water vapors that may pass through the bricks when the chimney is in use. This is important, because if the water vapors are trapped in the brick it can cause spalling and freeze/thaw damage to the chimney. ChimneySaver is Water-Based - It can be applied to a damp surface, no waiting for a dry day.



- Non-Combustible and has no chemical odor
- Available in 3 & 5 Gallon Containers
- · Each gallon of ChimneySaver covers approximately 100 square feet.
- · Can be used with a typical garden Pump Sprayer

#### FlashSeal

FlashSeal is a versatile and easy to use flashing repair system that, when dry, forms a flexible waterproof membrane. It's formulated for permanent adhesion to asphalt shingles, metal flashings, brick, and other chimney and roofing materials. Use FlashSeal to solve problem leaks around the base of chimneys, stacks, and vents. It is also great for sealing around skylights.

- · FLASHSEALBRWN Flash Seal Brown 1 Gallon
- FLASHSEALWHITE Flash Seal White 1 Gallon



#### TSR Treatment Quart (TSRQUART)

Third Stage Creosote Remover - TSR is a strong, effective formula designed to dissolve baked-on resins from masonry and stainless steel surfaces. It simply reduces the hard, glazed substance to loose, brush able soot. TSR works when the temperature is 50 degrees F or above, in air not overly humid.



#### Powdered Water Reppellant (PWR3202)

Save money by adding PWR to mortar/concrete mixes for all your repairs, tuckpointing, and rebuilds! Adding our Powdered Water Repellent (PWR) makes mortar/concrete permanently waterproof. This means no return trip to waterproof the chimney. When tuckpointing, just add PWR to your mortar mix. When the mortar is thumb print hard, (that's when you can press your thumb into it and it won't leave your thumb print) you can treat the chimney with ChimneySaver water base.



#### Restore-It Masonry Cleaner 2.5 Gallons (RESTORE-IT)

A safe, effective cleaner/restorer for concrete and masonry materials. This product removes many of the stains found on masonry walls, chimneys, patios, and walkways without damaging the masonry or mortar joints.



## Home and Hearth Cleaner (HOMEHEARTH)

Home & Hearth Cleaner is an industrial strength cleaner. It is a high alkalinity citrus detergent, con-taining biodegradable surfactantswhich effectively cut through smoke and creosote.



#### Brick and Mortar Cleaner 2.5 Gallons (TSRQUART)

Brick & Mortar Cleaner is a breakthrough in cleaning masonry. It has the cleaning power of Muriatic (hydrochloric) acid yet, when used as directed, it won't produce toxic fumes or cause burns. Now you can have the cleaning performance of a powerful acid cleaner with an unprecedented level of safety to users and surrounding surfaces. Brick & Mortar Cleaner safely removes most stains from masonry, including rust, efflorescence, and mortar splatter. It won't blacken, streak or damage metals such as the aluminum used in chimney flashings. To insure results, try in an inconspicuous area before general cleaning. Brick & Mortar cleaner can be used full strength for tough jobs or diluted for lighter cleaning.



#### CRE-AWAY

Cre-Away is an effective, patented, creosote modifier. It was developed by a chemical engineer after having had a chimney fire himself. Apply Cre-Away directly to the flue (not into the fire).

- · CREAWAY6 Cre-Away 1 lb
- · CREAWAYAPPL Cre-Away Applicator
- CREAWAYPRO25 Cre-Away Pro 25





#### Chimney Brush Flat Wire 6" Round (CBFW6S)

This brush has the identical spindle construction as the round wire.

The brush filament is a flat, oil tempered wire, twisted in the spindle in an evenly spaced single spiral configuration.

- CBFW12X12 Chimney Brush Flat Wire 12"X12" Square
- CBFW12X16 Chimney Brush Flat Wire 12"X16" Rectangle
- CBFW7X11 Chimney Brush Flat Wire 7"X11" Rectangle
- CBFW7X7 Chimney Brush Flat Wire 7"X7" Square
- . CBFW8 Chimney Brush Flat Wire 8"
- CBFW8X12 Chimney Brush Flat Wire 8"X12" Rectangle
- CBFW8X8 Chimney Brush Flat Wire 8"X8" Square



## PolyPro Brush 5" (CBP5)

This brush is designed for removing soot from fossil fuels. The 0.075" black polypropylene bristles are resistant to acids and salts contained in coal, oil and gas soot.

- · CBP5 Poly Brush 5"
- CBP10 Poly Brush 10"
- CBP6 Poly Brush 6"
- CBP7 Poly Brush 7"
- CBP8 Poly Brush 8"
- CBP9 Poly Brush 9"



# Round Wire Brush 5" (CBRW5)

This is a single spiral brush with a heavy duty spindle and nipple. The bristles are round, oil tempered wire.

- CBRW10 Chimney Brush Round Wire 10"
- CBRW11X11 Chimney Brush Round Wire 11"X11"
- CBRW12X12 Chimney Brush Round Wire 12"X12"
- CBRW6 Chimney Brush Round Wire 6"
- CBRW7 Chimney Brush Round Wire 7"
- CBRW7X11 Chimney Brush Round Wire 7"X11" Rectangle
- · CBRW7X7 Chimney Brush Round Wire 7"X7" Square
- CBRW8 Chimney Brush Round Wire 8"
- CBRW8X12 Chimney Brush Round Wire 8"X12" Rectangle
- CBRW8X8 Chimney Brush Round Wire 8"X8" Square



#### Sweeps All Brush 8" (CBSA8)

This is a single spiral brush with a heavy duty spindle and nipple. The bristles are round, oil tempered wire.

- CBSA8 Chimney Brush 8"
- CBSA12 Chimney Brush 12"
- . CBSA16 Chimney Brush 16"



#### Proflex Chimney Poly Rod 3' X 7/8" (PCR3)

These polyrods are constructed to handle the sharpest bends and offsets in those hard to reach areas. They make sweeping easy!

- PCR3 Proflex Chimney Rod 3' X 7/8
- PCR5 Proflex Chimney Rod 5' X 7/8



#### Ferret Rod 5' (FERRETROD5)

FERRETROD3 3' Ferret Rod



#### Fiberglass Rod 6' (FGR6)

These 6' fiberglass rods are 440 diameter, 318 fitting. It is an economical alternative to the more popularly used polyrods.



#### Steel Rod 1' (ACC)

- 1. PROK2 2 1/2 Tile Knocking/Steel Rods
- 2. PROK5 5' Tile Knocking/Steel Rods

## UBUSH Sweeping Tools (CS)

The U-Brush has stiff wire bristles, great for cleaning smoke chamber corners and upper ridges.

- · ACC-B Brass Adaptor
- ACC-C Scraper
- ACC-D Boring Tool
- ACC-E Double Worm Screw
- ACC-F Clearing Wheel
- ACC-G Retrieving Tool
- · ACC-H Rotary Loop Wizard Kit
- · ACC-I Spider
- · ACC-J Glaze Remover Rokleeh Chain
- · CBL Long Handle Brush
- RC Rod Caddy
- TK4X4 Tile breaker 4 X 4
- TKDBL Double Tile Breaker 4" X 4"



#### Chim (CS)

This multi-purpose viewer will allow you to see up into the chimney from the fireplace.



# Do-All +Plus Furnace Cement Case (4) 1 Gallon (DAFCC)

Do-All +Plus Chimney Cement 1 Gallon (DAFC1)



## Chamber Tech 2000 5 Gallon (CT2000)

This product is designed to repair the often neglected fireplace smoke chamber. Chamber-Tech 2000 can be parged or troweled on any smoke chamber to insulate and reduce heat conduction to combustible materials. Just 1 1/2" thickness of Chamber-Tech 2000 applied to all four walls will make the smoke chamber UL listed at zero-clearance to combustibles. This product also adds structural strength and shapes the smoke chamber for efficient flow of smoke and gases. This results in less creosote buildup and a smoke chamber that is easier to clean and maintain.



#### Latex Disposable Gloves Case (LDGC)



Metal Tape (MT)



Pipe Crimper (PC)





Soot Vacuum 6 Gallon (SV5G)



## **Soot Vacuum Bags**

- VBC 20 Bags/Case
- VBPC Pack of 5 Bags

Winch (WINCH)



S/S Chimney Paint Flat Black (BLKPAINT)



#### Rescue 911 Instant Leak Sealer

- 911W Rescue 911 White
- 911B Rescue 911 Black
- 911S Rescue 911 Silver



Custom / Metal Work

If you can visualize it, we can materialize it.

Contact us today and tell us what your custom needs are. You'll be amazed at what we can fabricate for you!

